
Dry Forest Science Review: What have we learned from implementing the dry forest strategy?

Richy J. Harrod

Deputy Fire Management Officer

Okanogan-Wenatchee NFs











Dry Forest Strategy

- Developed on Wenatchee National Forest after 1994 wildfire season.
- Updated to include Okanogan National Forest in 1999.
- Recognized the largest changes due to fire exclusion and past management are in dry forests.
- Management should be focused on restoration treatments (thinning and burning) at landscape scales
 - Particularly around communities



Vegetation Treatments



Forest Health Assessment

Table C-1. Acres of dry and mesic forest type

Forest Type	Acres
Dry dense	664,734
Dry not-dense	407,682
Total dry	1,072,416
Mesic dense	327,883
Mesic not-dense	108,067
Total mesic	435,950

Table C-2. Acres of dry and mesic forest type circa 1934


Forest Type	Acres
Dry dense	66,473
Dry not-dense	1,005,943
Total dry	1,072,416
Mesic dense	174,380
Mesic not-dense	261,570
Total mesic	435,950

- •Estimated a loss of about 30,000 acres/year of open forest.
- •Over 20 year period, would need to treat with thinning and burning ca. 70,000 acres a year.
- About 8-10 times current rate of treatment.

Information Needs

- Lack of large scale treatments means:
 - Prioritize where we spend a limit budget and use a limited workforce
 - Treatments need be effective
 - Treatments need to be strategically placed
 - Critical that we have creditable research and monitoring to support proposed treatments
 - Practice Adaptive Management

Workshop Section Overview



Dry Forest Workshop I

- Several science issue raised
 - Spring vs. fall burning needs to be compared in terms of ecological effects, logistics, fire risk, and tradeoffs of these issues. (All)
 - Preventing or minimizing the establishment and spread of invasive species was a strong research need. (*Peterson*)
 - Landscape analysis needs to show managers what, where, when, and how to treat landscapes to meet DFCs, and to determine the risks of no action. (Agee, Hessburg, Ager (tomorrow))

Science Issues Cont.

- Treatments that maintain soil integrity and hydrologic (aquatic) function over short and long terms are critical. (*Zabowski and Dare*)
- Managers need to have local information on fuels and variability from which to base objectives and design treatments. (Agee)
- Effects of vegetation and burning on the condition/trends in overstory and understory vegetation, snags, and coarse woody debris. (Harrod, Peterson, and Hessburg)
- Impacts on wildlife at stand and landscape scales needs to be determined, especially for species associated with late-successional forest, migratory birds, and survey and manage species. (Gaines and Lehmkuhl)

Audience Participation

- Lots of information to be provided, so ask questions
- Consider how the information can be used in a management context
- What information do we still given what you learn?
- Record your ideas and questions for the discussion session tomorrow afternoon.